

N 811 SERIES VACUUM PUMPS




N 811 KNE

ADVANTAGES

- High chemical resistance
- Robust design
- Copes well with vapor and condensation

POSSIBLE AREAS OF USE

- Stationary emission measurement technology
- Mobile/portable gas measurement technology
- Instrumental analysis
- Medical technology



Please visit our website
www.knf.com
to get more information

PERFORMANCE DATA

Series model	N 811			
Material design	KNE	KTE	KNDC	KTDC
Pump head	PPS			
Diaphragm	EPDM	PTFE-coated	EPDM	PTFE-coated
Valves	CR	FFPM	CR	FFPM
Flow rate at atm. pressure (l/min)	11.5		11.0	
Ultimate vacuum (mbar abs.)	100	170	100	170
Max. operating pressure (bar rel./psig)	0.5/7.3			
Permissible ambient temperature (°C)	+5 ... +40			
Permissible media temperature (°C)	+5 ... +40			
Weight (kg/lbs)	1.3/2.9		0.9/2.0	

ELECTRICAL DATA

Voltage (V)	230	12 24
Motor	Shaded pole motor	DC motor
Protection class motor	IP 00	IP 50
Frequency (Hz)	50	-
Power P ₁ (W)	60.0	-
I _{max} (A)	0.60	0.95 0.50


N 811 KNE | KTE

PERFORMANCE DATA


Series model	Flow rate at atm. pressure (l/min) ¹⁾	Max. operating pressure (bar rel./psig)	Ultimate vacuum (mbar abs.)
N 811 KNE	11.5	0.5/7.3	100
N 811 KTE	11.5	0.5/7.3	170

¹⁾ Liter at STP


N 811 K_E




N 811 KNE



N 811 KTE



N 811 KNE | PUMP DOWN TIME FOR 5 LITER VESSEL




N 811 KNDC | KTDC

PERFORMANCE DATA


Series model	Flow rate at atm. pressure (l/min) ¹⁾	Max. operating pressure (bar rel./psig)	Ultimate vacuum (mbar abs.)
N 811 KNDC	11.0	0.5/7.3	100
N 811 KTDC	11.0	0.5/7.3	170

¹⁾ Liter at STP


N 811 K_DC



N 811 KNDC



N 811 KTDC



ACCESSORIES

Description	Part No.	Details
Silencer/Inlet filter	000346	G 1/8
Hose connector (straight)	000360	G 1/8 PA
Hose connector	014052	G 1/8 PVDF

SPARE PARTS

Description	Part No.	Details
Intermediate plate KN_	028789	
Intermediate plate KT_	044408	
Head plate KN_/KT_	028791	
Valve plate/sealing KN_	113947	
Valve plate/sealing KT_	113950	
Structured diaphragm KN_	029231	
Structured diaphragm KT_	029232	

The performance values for the series models shown on this data sheet were determined under test conditions. The actual performance values may differ and depend in particular on the usage conditions and therefore on the specific application, on the parameters of the components involved in the user's system and on any technical modifications carried out which deviate from the standard configuration or the as delivered condition.

If individual designs have been created for specific customers on the basis of series models, other technical performance data may apply.

Before operation begins, the relevant operating instructions and/or assembly or installation instructions should be read and the safety information contained in these instructions should be noted.

KNF reserves the right to make changes to the product and the associated documentation without prior notice to the customer.



www.knf.com